



Corporate Hazard Identification & Risk Control

HIRA #
15.26

Fueling

Applicable Zones:	Project	<input checked="" type="checkbox"/>	Yard	<input checked="" type="checkbox"/>	Office	<input type="checkbox"/>	Asphalt Plant	<input checked="" type="checkbox"/>
--------------------------	---------	-------------------------------------	------	-------------------------------------	--------	--------------------------	---------------	-------------------------------------

HAZARD(S)

- Exposure to Chemicals (H)
- Exposure to Vapors (H)
- Risk of spills (H)

PRE-CONTROL RISK

Likelihood 3	Consequence 4	Pre-Control Risk 12
-----------------	------------------	--------------------------------

CONTROLS

Elimination	3 rd Party Contractor hired to refill equipment, fueling not completed by employees.
Substitution	
Engineering	
Administrative	Check SDSs for safe handling/required PPE before fueling.
PPE	High Visibility Clothing, Hard Hat & Safety Boots at a minimum must be worn at all times.

POST CONTROL RISK

Likelihood 1	Consequence 4	Post-Control Risk 4	Risk Reduction 8	Critical or Not Critical No
-----------------	------------------	--------------------------------	---------------------	--------------------------------

LEGISLATIVE REFERENCES

O.Reg 213/91: S.43-44
O.Reg 213/91: S.47
O.Reg 213/91: S.52-58
O.Reg 213/91: S.255

OTHER STANDARDS & REFERENCES

J-AAR Manual: P1.2.4
J-AAR Manual: P1.4.1
J-AAR Manual: P1.4.18
J-AAR Manual: P1.5.4.1
J-AAR Manual: P1.5.4.18